Stationary high pressure washer for multiple users

The SC DELTA is a multi-pump, multi-pressure system encompassing 3, 4 or 6 pumps - and allowing up to 12 people to work at any time. A stationary cold water unit for the heaviest cleaning applications in industry, slaughter houses, food & beverage industry, ship & off shore industry and large truck wash areas.
Each user can choose his working pressure and flow - based on the main unit line pressure and a range of special lances. The SC DELTA thus covers low, medium and high pressure applications. The on-board touch screen control panel automatically manages the start stop of pumps according to demand and also incorporates an advanced diagnostic system.
The SC DELTA offers very high productivity with high flow and simultaneous enabling of a wide range of user requirements of high & low pressures, different flow levels, and detergents. It is a very durable and reliable machine, with easy maintenance and minimal downtime. The high productivity combined with low maintenance cost offers the best-in-class total cost of cleaning.



De getoonde afbeelding kan afwijken van het gekozen type

- 3,4 or 6 pumps for up to 12 users at one time
- Colour coded lances allow mixed use of low, medium and high pressure, detergent application
- Inlet water of up to 85°C into break tank and 70°C through pumps (80° as optional)
- Stainless steel design with high level of accessibility and serviceability
- Machine continues to run whilst individual pumps can be removed for service
- Intelligent start stop function for motor pumps depending on real-time demand from users
- Line pressures available from 80 to 160 bar
- Touch screen control panel & advanced diagnostics system

● Accessoire par défaut

● Accessoire par défaut

Modèle	SC DELTA 6P-160/4500-3 EU	SC DELTA 6P-160/6000-4 EU	SC DELTA 6P-160/6000-4 440/3/60 EXPT
Réf. Produit	107342000	107342002	107342003
Points forts			
Pistons entièrement en céramique	●	●	●
Cuve inox	●	●	●
Arrêt automatique	●	●	●
Fonction quick service	●	●	●
Système de diagnostic	●	●	●
Système de contrôle état de la pompe	●	●	●
Pression variable	●	●	●
Panneau de contrôle tactile	●	●	●
Marche/arrêt automatique	●	●	●
Moteur 1450 tr/mn	●	●	●
Pompe à piston en céramique NA6-4	●	●	●

All information provided in this document is subject to change without prior notice

Stationary high pressure washer for multiple users

Modèle	SC DELTA 6P-160/4500-3 EU	SC DELTA 6P-160/6000-4 EU	SC DELTA 6P-160/6000-4 440/3/60 EXPT
Réf. Produit	107342000	107342002	107342003
Points forts			
Cabine en acier inoxydable	•	•	•
Jusqu'à 12 utilisateurs en simultanés	•	•	•

Modèle		SC DELTA 6P-160/9000-6 EU	SC DELTA 6P-160/9000-6 440/3/60 EXPT
Réf. Produit		107342005	107342006
Points forts			
Pistons entièrement en céramique		•	•
Cuve inox		•	•
Arrêt automatique		•	•
Fonction quick service		•	•
Système de diagnostic		•	•
Système de contrôle état de la pompe		•	•
Pression variable		•	•
Panneau de contrôle tactile		•	•
Marche/arrêt automatique		•	•
Moteur 1450 tr/mn		•	•
Pompe à piston en céramique NA6-4		•	•
Cabine en acier inoxydable		•	•
Jusqu'à 12 utilisateurs en simultanés		•	•

Données techniques	SC DELTA 6P-160/4500-3 EU	SC DELTA 6P-160/6000-4 EU	SC DELTA 6P-160/6000-4 440/3/60 EXPT
Pression à la pompe (bar/MPa)	160/16	160/16	160/16
Nombre de pompe	3	4	4
Impact de nettoyage (kg/force)	22.4	29.7	29.7
Pompe (tr/min)	1450	1450	1750
Puissance absorbée (kW)	27	35	35
Voltage/phase/fréquence/ampère (V/~/HZ/A)	400/3/50/48	400/3/50/64	440/3/60/58
Débit d'eau Qmax./Qiec (l/h)	4380/4500	5820/6000	5820/6000
Calibre buse	Min. .0350	Min. .0350	Min. .0350
Température arrivée d'eau max. (°C)	70	70	70
Pistons céramique	4	4	4
Dimensions (L x L x H) (mm)	970 x 820 x 1800	970 x 820 x 1800	970 x 820 x 1800
Poids (kg)	349	408	408



All information provided in this document is subject to change without prior notice

Stationary high pressure washer for multiple users

Données techniques	SC DELTA 6P-160/4500-3 EU	SC DELTA 6P-160/6000-4 EU	SC DELTA 6P-160/6000-4 440/3/60 EXPT
Niveau puissance sonore, selon directive 2000/14/ce (LwA)	100	101	101
Recommended avg. hours of use per day	7	7	7

Données techniques	SC DELTA 6P-160/9000-6 EU	SC DELTA 6P-160/9000-6 440/3/60 EXPT
Pression à la pompe (bar/MPa)	160/16	160/16
Nombre de pompe	6	6
Impact de nettoyage (kg/force)	43.9	43.9
Pompe (tr/min)	1450	1750
Puissance absorbée (kW)	55	53
Voltage/phase/fréquence/ampère (V/~/HZ/A)	400/3/50/96	440/3/60/87
Débit d'eau Qmax./Qiec (l/h)	8580/9000	8580/9000
Calibre buse	Min. .0350	Min. .0350
Température arrivée d'eau max. (°C)	70	70
Pistons céramique	4	4
Dimensions (L x L x H) (mm)	970 x 820 x 1800	970 x 820 x 1800
Poids (kg)	526	526
Niveau puissance sonore, selon directive 2000/14/ce (LwA)	103	103
Recommended avg. hours of use per day	7	7

● Accessoire par défaut, ○ Accessoires supplémentaires, □ Accesoires montable

	Accessories	Réf. Produit	Min. requis	SC DELTA 6P-160/4500-3 EU	SC DELTA 6P-160/6000-4 EU	SC DELTA 6P-160/6000-4 440/3/60 EXPT
Système Ergo raccords et adaptateurs						
	ANNEAU DE JOINT	1801075	0	○	○	○
	BAIONNETTE 1/4'' ERGO	1609325	0	○	○	○
	COUPLEUR RAPIDE F 3/8 INCH	106402075	0	○	○	○
	COUPLEUR RAPIDE M 3/8 INOX	1603101	0	○	○	○

All information provided in this document is subject to change without prior notice

Stationary high pressure washer for multiple users

Accessories		Réf. Produit	Min. requis	SC DELTA 6P-160/4500-3 EU	SC DELTA 6P-160/6000-4 EU	SC DELTA 6P-160/6000-4 440/3/60 EXPT
	KIT RACCORDS RAPIDES M + F	101119499	0	○	○	○
	RACCORD RAPIDE MALE HP EN 3/8	1600493	0	○	○	○
Haute pression raccord male						
	RACCORD GARDENA 3/4"F 19MM	1608629	0	○	○	○
	RACCORD LAITON GEKA 3/4"M 19MM	1311	0	○	○	○
	RACCORD MALE M21X1	66161	0	○	○	○
	RACCORD RAPIDE NITO 1/2"M 15MM	1604669	0	○	○	○
	RACCORD RAPIDE NITO 3/4"M 19MM	1600659	0	○	○	○
	REDUCTEUR 3/8 INCH	6401067	0	○	○	○
Haute pression raccord female						
	ADAPTATEUR WAP M27X1.5 F	66160	0	○	○	○
	RACCORD FEMELLE M21X1	66162	0	○	○	○
	RACCORD LAITON GEKA 3/4"F	1718	0	○	○	○
Flexible haute pression, DN10						



All information provided in this document is subject to change without prior notice

Stationary high pressure washer for multiple users

Accessories		Réf. Produit	Min. requis	SC DELTA 6P-160/4500-3 EU	SC DELTA 6P-160/6000-4 EU	SC DELTA 6P-160/6000-4 440/3/60 EXPT
	FLEXIBLE HP 1M DN10 2X3/8M	1402916	0	○	○	○
	FLEXIBLE HP 2M DN10 2X3/8M	1402924	0	○	○	○
	FLEXIBLE HP 3M DN10 2X3/8M	1402932	0	○	○	○
	FLEXIBLE HP 5M DN10 2X3/8M	1402940	0	○	○	○
	FLEXIBLE HP 10M DN10 2X3/8M	6101766	0	○	○	○
	FLEXIBLE HP 15M DN10 2X3/8M	1402064	0	○	○	○
	FLEXIBLE HP 20M DN10 2X3/8M	1402072	0	○	○	○
	FLEXIBLE HP 25M DN10 2X3/8M	1402080	0	○	○	○
	FLEXIBLE HP 30M DN10 2X3/8M	1402098	0	○	○	○
	FLEXIBLE HP 50M DN10 2X3/8M	1402759	0	○	○	○
Flexible haute pression non-blacking, DN10						
	FLEXIBLE HP 10M DN10 2X3/8M ANTI TRACE	6101767	0	○	○	○



All information provided in this document is subject to change without prior notice

Stationary high pressure washer for multiple users

Accessories		Réf. Produit	Min. requis	SC DELTA 6P-160/4500-3 EU	SC DELTA 6P-160/6000-4 EU	SC DELTA 6P-160/6000-4 440/3/60 EXPT
	FLEXIBLE HP 15M DN10 2X3/8M ANTI TRACE	1401983	0	○	○	○
	FLEXIBLE HP 20M DN10 2X3/8M ANTI TRACE	1401991	0	○	○	○
	FLEXIBLE HP 25M DN10 2X3/8M ANTI TRACE	1402007	0	○	○	○
	FLEXIBLE HP 30M DN10 2X3/8M ANTI TRACE	1402015	0	○	○	○
Flexible haute pression, DN12						
	FLEXIBLE HP 10M DN12 2X3/8M	4810219	0	○	○	○
	FLEXIBLE HP 15M DN12 2X3/8M	4810213	0	○	○	○
	FLEXIBLE HP 20M DN12 2X3/8M	4810214	0	○	○	○
Enrouleur						
	CHARIOT DE NETTOYAGE INOX	6401094	0	○	○	○
Pistolet						
	PISTOLET ERGO 2000 STANDARD	106403122	0	○	○	○
	PISTOLET ERGO 3000 STANDARD	106402190	0	○	○	○
	PISTOLET ERGO 3000 VARIO PRESS	106402191	0	○	○	○



All information provided in this document is subject to change without prior notice

Stationary high pressure washer for multiple users

Accessories		Réf. Produit	Min. requis	SC DELTA 6P-160/4500-3 EU	SC DELTA 6P-160/6000-4 EU	SC DELTA 6P-160/6000-4 440/3/60 EXPT
	RACCORD TOURNANT ERGO	101119484	0	○	○	○
Autres						
	POIGNEE LATERALE	106402110	0	○	○	○
	SYSTEME ASPIRATION EAU 0065	6402018	0	○	○	○
Lance						
	LANCE COURTE 100 MM	106402151	0	○	○	○
	LANCE DOUBLE COURTE SANS BUSE 9 CM	106402150	0	○	○	○
Lances spéciales						
	LANCE CHASSIS	6402016	0	○	○	○
Delta booster lance 160bars						
	LANCE DELTA BLANC 930MM 27BARS 1020L/H	6300846	0	○	○	○
	LANCE DELTA BLEU 930MM 80BARS 1020L/H	6300850	0	○	○	○
	LANCE DELTA CHROME 930MM 152BARS 1020L/H	6300870	0	○	○	○
	LANCE DELTA JAUNE 930MM 107BARS 1560L/H	6300853	0	○	○	○

All information provided in this document is subject to change without prior notice

Stationary high pressure washer for multiple users

Accessories		Réf. Produit	Min. requis	SC DELTA 6P-160/4500-3 EU	SC DELTA 6P-160/6000-4 EU	SC DELTA 6P-160/6000-4 440/3/60 EXPT
	LANCE DELTA MARRON 930MM 50BARS 1020L/H	6300848	0	○	○	○
	LANCE DELTA NOIR 930MM 27BARS 2100L/H	6300847	0	○	○	○
	LANCE DELTA ORANGE 930MM 107BARS 1020L/H	6300852	0	○	○	○
	LANCE DELTA ROUGE 930MM 80BARS 1620L/H	6300851	0	○	○	○
	LANCE DELTA VERT 930MM 53BARS 1980L/H	6300849	0	○	○	○
Embouchure spéciale						
	BUSE JET LONG 6-7M	2802696	0	○	○	○
Filtres pour NHP						
	CARTOUCHE FILTRE 50 UM	1104041	0	○	○	○
Brosses de lavage						
	BROSSE DE LAVAGE 155 CM	6400088	0	○	○	○
	BROSSE DE LAVAGE 235 CM	6400087	0	○	○	○
Brosses rotatives						
	BROSSE RECHANGE NATUREL NOIRE	6401431	0	○	○	○

All information provided in this document is subject to change without prior notice

Stationary high pressure washer for multiple users

Accessories		Réf. Produit	Min. requis	SC DELTA 6P-160/4500-3 EU	SC DELTA 6P-160/6000-4 EU	SC DELTA 6P-160/6000-4 440/3/60 EXPT
	BROSSE RECHANGE NYLON BLANC	6401432	0	○	○	○
	BROSSE ROTATIVE 065 170CM	6400016	0	○	○	○
Injecteur et lance mousse						
	INJECTEUR MOUSSE AVEC DERIVATION	6401242	0	○	○	○
	LANCE MOUSSE 120 CM	6404369	0	○	○	○
	LANCE MOUSSE COURTE 60 CM	6404368	0	○	○	○
Accessoire de sablage						
	CANNE PLONGEUSE AVEC FLEXIBLE	6400375	0	○	○	○
	VSB JET PLAT 06	6401365	0	○	○	○
Détergents						
	ACTIVE WAX 10 L	81177	0	○	○	○
	ACTIVE WAX 25 L	81222	0	○	○	○
Equipements stationnaires						
	ACCESSOIRE COMMANDE A DISTANCE SC DELTA	107371053	0	○	○	○
	ACCESSOIRE ETAT COMMANDE A DISTANCE	107371050	0	○	○	○



All information provided in this document is subject to change without prior notice

Stationary high pressure washer for multiple users

	Accessories	Réf. Produit	Min. requis	SC DELTA 6P-160/4500-3 EU	SC DELTA 6P-160/6000-4 EU	SC DELTA 6P-160/6000-4 440/3/60 EXPT
	ACCESSOIRE MELANGEUR FROID/CHAUD	107371052	0	○	○	○
Nettoyage du tuyaux						
	DEBOUCHE CANALISATION 20M	6401266	0	○		
	DEBOUCHE CANALISATION 20M	6401268	0	○		

● Accessoire par défaut, ○ Accessoires supplémentaires, □ Accesoires montable

	Accessories	Réf. Produit	Min. requis	SC DELTA 6P-160/9000-6 EU	SC DELTA 6P-160/9000-6 440/3/60 EXPT
Système Ergo raccords et adaptateurs					
	ANNEAU DE JOINT	1801075	0	○	○
	BAIONNETTE 1/4" ERGO	1609325	0	○	○
	COUPLEUR RAPIDE F 3/8 INCH	106402075	0	○	○
	COUPLEUR RAPIDE M 3/8 INOX	1603101	0	○	○
	KIT RACCORDS RAPIDES M + F	101119499	0	○	○
	RACCORD RAPIDE MALE HP EN 3/8	1600493	0	○	○
Haute pression raccord male					

All information provided in this document is subject to change without prior notice

Stationary high pressure washer for multiple users

Accessories		Réf. Produit	Min. requis	SC DELTA 6P-160/9000-6 EU	SC DELTA 6P-160/9000-6 440/3/60 EXPT
	RACCORD GARDENA 3/4"F 19MM	1608629	0	○	○
	RACCORD LAITON GEKA 3/4"M 19MM	1311	0	○	○
	RACCORD MALE M21X1	66161	0	○	○
	RACCORD RAPIDE NITO 1/2"M 15MM	1604669	0	○	○
	RACCORD RAPIDE NITO 3/4"M 19MM	1600659	0	○	○
	REDUCTEUR 3/8 INCH	6401067	0	○	○
Haute pression raccord female					
	ADAPTATEUR WAP M27X1.5 F	66160	0	○	○
	RACCORD FEMELLE M21X1	66162	0	○	○
	RACCORD LAITON GEKA 3/4"F	1718	0	○	○
Flexible haute pression, DN10					
	FLEXIBLE HP 1M DN10 2X3/8M	1402916	0	○	○
	FLEXIBLE HP 2M DN10 2X3/8M	1402924	0	○	○

All information provided in this document is subject to change without prior notice

Stationary high pressure washer for multiple users

Accessories		Réf. Produit	Min. requis	SC DELTA 6P-160/9000-6 EU	SC DELTA 6P-160/9000-6 440/3/60 EXPT
	FLEXIBLE HP 3M DN10 2X3/8M	1402932	0	○	○
	FLEXIBLE HP 5M DN10 2X3/8M	1402940	0	○	○
	FLEXIBLE HP 10M DN10 2X3/8M	6101766	0	○	○
	FLEXIBLE HP 15M DN10 2X3/8M	1402064	0	○	○
	FLEXIBLE HP 20M DN10 2X3/8M	1402072	0	○	○
	FLEXIBLE HP 25M DN10 2X3/8M	1402080	0	○	○
	FLEXIBLE HP 30M DN10 2X3/8M	1402098	0	○	○
	FLEXIBLE HP 50M DN10 2X3/8M	1402759	0	○	○
Flexible haute pression non-blacking, DN10					
	FLEXIBLE HP 10M DN10 2X3/8M ANTI TRACE	6101767	0	○	○
	FLEXIBLE HP 15M DN10 2X3/8M ANTI TRACE	1401983	0	○	○
	FLEXIBLE HP 20M DN10 2X3/8M ANTI TRACE	1401991	0	○	○

All information provided in this document is subject to change without prior notice

Stationary high pressure washer for multiple users

Accessories		Réf. Produit	Min. requis	SC DELTA 6P-160/9000-6 EU	SC DELTA 6P-160/9000-6 440/3/60 EXPT
	FLEXIBLE HP 25M DN10 2X3/8M ANTI TRACE	1402007	0	○	○
	FLEXIBLE HP 30M DN10 2X3/8M ANTI TRACE	1402015	0	○	○
Flexible haute pression, DN12					
	FLEXIBLE HP 10M DN12 2X3/8M	4810219	0	○	○
	FLEXIBLE HP 15M DN12 2X3/8M	4810213	0	○	○
	FLEXIBLE HP 20M DN12 2X3/8M	4810214	0	○	○
Enrouleur					
	CHARIOT DE NETTOYAGE INOX	6401094	0	○	○
Pistolet					
	PISTOLET ERGO 2000 STANDARD	106403122	0	○	○
	PISTOLET ERGO 3000 STANDARD	106402190	0	○	○
	PISTOLET ERGO 3000 VARIO PRESS	106402191	0	○	○
	RACCORD TOURNANT ERGO	101119484	0	○	○
Autres					

All information provided in this document is subject to change without prior notice

Stationary high pressure washer for multiple users

Accessories		Réf. Produit	Min. requis	SC DELTA 6P-160/9000-6 EU	SC DELTA 6P-160/9000-6 440/3/60 EXPT
	POIGNEE LATERALE	106402110	0	○	○
	SYSTEME ASPIRATION EAU 0065	6402018	0	○	○
Lance					
	LANCE COURTE 100 MM	106402151	0	○	○
	LANCE DOUBLE COURTE SANS BUSE 9 CM	106402150	0	○	○
Lances spéciales					
	LANCE CHASSIS	6402016	0	○	○
Delta booster lance 160bars					
	LANCE DELTA BLANC 930MM 27BARS 1020L/H	6300846	0	○	○
	LANCE DELTA BLEU 930MM 80BARS 1020L/H	6300850	0	○	○
	LANCE DELTA CHROME 930MM 152BARS 1020L/H	6300870	0	○	○
	LANCE DELTA JAUNE 930MM 107BARS 1560L/H	6300853	0	○	○
	LANCE DELTA MARRON 930MM 50BARS 1020L/H	6300848	0	○	○
	LANCE DELTA NOIR 930MM 27BARS 2100L/H	6300847	0	○	○



All information provided in this document is subject to change without prior notice

Stationary high pressure washer for multiple users

Accessories		Réf. Produit	Min. requis	SC DELTA 6P-160/9000-6 EU	SC DELTA 6P-160/9000-6 440/3/60 EXPT
	LANCE DELTA ORANGE 930MM 107BARS 1020L/H	6300852	0	○	○
	LANCE DELTA ROUGE 930MM 80BARS 1620L/H	6300851	0	○	○
	LANCE DELTA VERT 930MM 53BARS 1980L/H	6300849	0	○	○
Embouchure spéciale					
	BUSE JET LONG 6-7M	2802696	0	○	○
Filtres pour NHP					
	CARTOUCHE FILTRE 50 UM	1104041	0	○	○
Brosses de lavage					
	BROSSE DE LAVAGE 155 CM	6400088	0	○	○
	BROSSE DE LAVAGE 235 CM	6400087	0	○	○
Brosses rotatives					
	BROSSE RECHANGE NATUREL NOIRE	6401431	0	○	○
	BROSSE RECHANGE NYLON BLANC	6401432	0	○	○
	BROSSE ROTATIVE 065 170CM	6400016	0	○	○
Injecteur et lance mousse					

All information provided in this document is subject to change without prior notice

Stationary high pressure washer for multiple users

	Accessories	Réf. Produit	Min. requis	SC DELTA 6P-160/9000-6 EU	SC DELTA 6P-160/9000-6 440/3/60 EXPT
	INJECTEUR MOUSSE AVEC DERIVATION	6401242	0	○	○
	LANCE MOUSSE 120 CM	6404369	0	○	○
	LANCE MOUSSE COURTE 60 CM	6404368	0	○	○
Accessoire de sablage					
	CANNE PLONGEUSE AVEC FLEXIBLE	6400375	0	○	○
	VSB JET PLAT 06	6401365	0	○	○
Détergents					
	ACTIVE WAX 10 L	81177	0	○	○
	ACTIVE WAX 25 L	81222	0	○	○
Equipements stationnaires					
	ACCESSOIRE COMMANDE A DISTANCE SC DELTA	107371053	0	○	○
	ACCESSOIRE ETAT COMMANDE A DISTANCE	107371050	0	○	○
	ACCESSOIRE MELANGEUR FROID/CHAUD	107371052	0	○	○
Nettoyage du tuyaux					
	DEBOUCHE CANALISATION 20M	6401266	0		

All information provided in this document is subject to change without prior notice

Stationary high pressure washer for multiple users

Accessories		Réf. Produit	Min. requis	SC DELTA 6P-160/9000-6 EU	SC DELTA 6P-160/9000-6 440/3/60 EXPT
	DEBOUCHE CANALISATION 20M	6401268	0		

All information provided in this document is subject to change without prior notice